POPM PTO 1200	EDA DES CENTE OF COLLARDOR DATES TO AND TO A DESCAR OF COLLARD	CLATTODNEWS DOCKET ATRICED
(REV 10-94)	EPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	7885.76USWO
	TO THE UNITED STATES	7605.7005 W O
	ED OFFICE (DO/EO/US)	
CONCERNING A FILIN	IG UNDER 35 U.S.C. 371	II S ADDITION NO. (If brown see 27 C.F.D. 1.5)
		US APPLIOTION NO (15 known sg 37 CF R 1 5)
INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/NO99/00335	November 5, 1999	November 11, 1998
TITLE OF INVENTION		
SIMULATION OF CHEMICAL INTERACT	NONS	
APPLICANT(S) FOR DO/EO/US		
Jarle BREIVIK		
Applicant herewith submits to the United States De	esignated/Elected Office (DO/EO/US) the following	ng items and other information:
1. [X] This is a <b>FIRST</b> submission of items con	cerning a filing under 35 U.S.C. 371.	
2. [ ] This is a <b>SECOND</b> or <b>SUBSEQUE</b>	NT submission of items concerning a filing under	
	amination procedures (35 U.S.C. 371(f)) at any time opticable time limit set in 35 U.S.C. 371(b) and PC	
•	ninary Examination was made by the 19th month f	
5. [X] A copy of the International Application a	s filed (35 U.S.C. 371(c)(2))	
• •	d only if not transmitted by the International Burea	u).
<ul><li>b. [X] has been transmitted by the Inte</li><li>c. [ ] is not required, as the applie</li></ul>	cation was filed in the United States Receiving Off	fice (RO/US)
	plication into English (35 U.S.C. 371(c)(2)).	
	tional Application under PCT Article 19 (35 U.S.C	
a. [ ] are transmitted herewith (reb. [ ] have been transmitted by the	equired only if not transmitted by the International	Bureau).
c. [ ] have not been made; however	ver, the time limit for making such amendments ha	as NOT expired.
d. [X] have not been made and will no	t be made.	
8. [ ] A translation of the amendments to the	he claims under PCT Article 19 (35 U.S.C. 371(c)	(3)).
9. [X] An unsigned oath or declaration of the inv	ventor(s) (35 U.S.C. 371 (c)(4)).	
10. [ ] A translation of the annexes to the In (35 U.S.C. 371(c)(5)).	nternational Preliminary Examination Report under	PCT Article 36
, , , , ,		
Items 11. to 16. below concern document(s) or in 11. [ ] An Information Disclosure Statemen		
12. [ ] An assignment document for recordi	ing. A separate cover sheet in compliance with 37 (	CFR 3.28 and 3.31 is included.
13. [X] A FIRST preliminary amendment.  [ ] A SECOND of SUBSEQUENT prel	ıminary amendment.	
14. [ ] A substitute specification.		
15. [ ] A change of power of attorney and/o	r address letter.	
16. [ ] Other items or information:		

- 1 '	U.S. APPLICATION NO (If knows		INTERNATIONAL APPLICATION I	,0	ATTORIES DOCUMENT TO THE STATE OF THE STATE	
	09/	831536	7885.76USWO			
	17. [X] The following	fees are submitted:	CALCULATIONS PTO	O USE ONLY		
	BASIC NATIONAL F	EE (37 CFR 1.492(a) (1				
	Search Report has	been prepared by the EP				
	International prelim	ninary examination fee pa				
	No international probut international se	eliminary examination fe earch fee paid to USPTO	e paid to USPTO (37 CFR 1.4 (37 CFR 1.445(a)(2))	82) <b>\$710.00</b>		
	Neither international international search	al preliminary examination h fee (37 CFR 1.445(a)(3	on fee (37 CFR 1.482) nor )) paid to USPTO	\$1000.00		
	International prelim and all claims satis	sfied provisions of PCT A	aid to USPTO (37 CFR 1.482) article 33(2)-(4)	\$100.00		
ľ	•		OPRIATE BASIC FEE		\$860.00	
	Surcharge of \$130.00 for months from the earliest	or furnishing the oath or or to claimed priority date (3'	leclaration later than [] 20 [] 7 CFR 1.492(e)).	30	\$	
f	CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
F	Total claims	10 -20	) = 0	X \$18.00	\$	
-	Independent claims	1 -3	= 0	X \$80.00	\$	
	•	ENT CLAIM(S) (if applie	cable)	+ \$270.00	S	
	WODIN DE DE DIVE		L OF ABOVE CALCU	JLATIONS =	\$860.00	
	Reduction by 1/2 for file		olicable. Verified Small Entity		\$430.00	
The state	Statement must also be	med (Note 57 OFR 1.5,		UBTOTAL =	\$430.00	
	Processing fee of \$130.	00 for furnishing the Eng	lish translation later than [] 20		\$	
			TOTAL NATIO	ONAL FEE =	\$430.00	
122	Fee for recording the en accompanied by an app	nclosed assignment (37 Coropriate cover sheet (3	FR 1.21(h)). The assignment CFR 3.28, 3.31). \$40.00 per p	must be roperty +	s	
1222			TOTAL FEES E		\$430.00	
į			<u> </u>		Amount to be: refunded	\$
					charged	\$
ŀ	a. [X] Check(s) in th	ne amount of \$430.00 to c	over the above fees is enclose	d.		
;	b. [ ] Please charge A duplicate co	my Deposit Account No	in the a	mount of \$	to cover the above	e fees.
	c. [X] The Commiss overpayment	sioner is hereby authorize to Deposit Account No. 1	d to charge any additional fees (3-2725).	which may be rec	quired, or credit any	
	NOTE: Where an apple 1.137(a) or (b)) must be	propriate time limit und be filed and granted to r	der 37 CFR 1.494 or 1.495 havestore the application to pen	is not been met, a ding status.	petition to revive (37 CFF	
	SEND ALL CORRESPONDENCE	CE TO				Denin-
	John J. Gresens MERCHANT & GO	лп р			SIGNATURE	· par · ·
	P.O. Box 2903	OLD	V //_	John J. Gresens		
ı	Minneapolis, MN 55	5402-0903			NAME	
					REGISTRATION NU	33,112

#### **INDEPENDENT INVENTOR(S)**

## VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(b)) - INDEPENDENT INVENTOR

Insert title of application	, _	37 CFR 1.9(c) for numoses of n	aying reduced fees under section and Trademark Office with	independent inventor as defined in on 41(a) and (b) of Title 35, United regard to the invention entitled described in
Check one, fill in if b) or c)	>	a) ( ) the specification f b) ( ) application serial c) ( ) patent no	iled herewith. no filed _ , issued	·
		to assign, grant, convey or license as an independent inventor und	e, any rights in the invention to an er 37 CFR 1.9(c) if that person as a small business concern t	r no obligation under contract or law y person who could not be classified had made the invention, or to any under 37 CFR 1.9(d) or a nonprofit
		Each person, concern or organization under obligation under contract of is listed below:	ation to which I have assigned, g or law to assign, grant, convey, o	ranted, conveyed, or licensed or am or license any rights in the invention
Check one	>	a) (X) no such pe b) ( ) persons, co	rson, concern, or organization oncerns or organizations listed b	· pelow*
		*NOTE: Separate verified statement having rights to the invention average of the invention and the statement of the statement		ned person, concern or organization atities. (37 CFR 1.27)
if "b", insert	>	NAME		
		a) ( ) INDIVIDUAL	b) ( ) SMALL BUSINESS CONCER	N c) ( ) NONPROFIT ORGANIZATION
		NAME		
		a) ( ) INDIVIDUAL	b) ( ) SMALL BUSINESS CONCER	N c) ( ) NONPROFIT ORGANIZATION
		in loss of entitlement to small ent	ity status prior to paying, or at th	tion of any change in status resulting ne time of paying, the earliest of the status as a small entity is no longer
	•	made on information and belief a with the knowledge that willful imprisonment, or both under sec	re believed to be true; and further false statements and the like stion 1001 of Title 18 of the Unite the validity of the application,	edge are true and that all statements or that these statements were made so made are punishable by fine or d States Code, and that such willful any patent issuing thereof, or any
Insert each inventor	<b>&gt;</b>	Jarle Breivik NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
Sign	\ \ \ \ \ \	Signature of Inventor	Signature of Inventor	Signature of Inventor
Date	>		Date	Date

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

**BREIVIK** 

Docket No.:

7885.76USWO

Serial No.:

Unknown

Filed:

May 10, 2001

Int'l Appln No.:

PCT/NO99/00335

Int'l Filing Date:

November 5, 1999

Title:

SIMULATION OF CHEMICAL INTERACTIONS

#### CERTIFICATE UNDER 37 CFR 1.10:

"Express Mail" mailing label number: EL658339394US

Date of Deposit: May 10, 2001

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to Assistant Commissioner for Patents, Washington, D.C. 20231.

planda

Yolanda Gray Name:

#### PRELIMINARY AMENDMENT

Box PCT **Assistant Commissioner for Patents** Washington, D. C. 20231

Dear Sir:

In connection with the above-identified application filed herewith, please enter the following preliminary amendment:

#### IN THE ABSTRACT

Insert the attached Abstract page into the application as the last page thereof.

#### IN THE SPECIFICATION

A courtesy copy of the originally-filed PCT specification is enclosed herewith, but the World Intellectual Property Office (WIPO) copy should be relied upon if it is already in the U.S. Patent Office.

#### IN THE CLAIMS

Please amend the following claims as indicated below. A marked-up copy of all

-H 

claims is attached for reference.

- 3. (amended) System according to claim 1, characterized in that specific interelemental bindings involve magnetic materials with different Curie points such that specific bindings are receptive to specific changes in temperature.
  - 4. (amended) System according to claim 1, c h a r a c t e r i z e d i n that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes new bindings which never or rarely occurs spontaneously.
  - 5. (amended) System according to claim 1, c h a r a c t e r i z e d i n that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes breaking of bindings which never or rarely breaks spontaneously.
  - 6. (amended) System according to claim 1, characterized in that the elements are floating in a liquid with a density close to the density of the elements.
  - 7. (amended) System according to claim 1, c h a r a c t e r i z e d i n that the system include devices for controlling the temperature and the turbulence surrounding the elements.

- 8. (amended) System according to claim 1 characterized in that the elements are floating in a transparent container.
- 9. (amended) System according to claim 8, c h a r a c t e r i z e d in that the controlling device involves a programmable unit, e.g. a computer, which may be connected to an electronic communication network, e.g. the Internet.
- 10. (amended) Use of the system according to claim 1 as a device for demonstrating/simulating chemical interactions, catalytic functions, molecular evolution, and the behavior of complex systems, for education, entertainment, decoration, computational, and scientific purposes.

#### <u>REMARKS</u>

The above preliminary amendment is made to remove multiple dependencies from claims 3 to 10.

A new abstract page is supplied to conform to that appearing on the publication page of the WIPO application, but the new Abstract is typed on a separate page as required by U.S. practice.

Applicant respectfully requests that the preliminary amendment described herein be entered into the record prior to calculation of the filing fee and prior to examination and consideration of the above-identified application.

If a telephone conference would be helpful in resolving any issues concerning this communication, please contact Applicant's primary attorney-of record, John J. Gresens (Reg. No. 33,112), at (612) 371-5265.

Respectfully submitted,

MERCHANT & GOULD P.C. P.O. Box 2903 Minneapolis, Minnesota 55402-0903 (612) 332-5300

Reg. No. 33,112

Dated: May 10, 2001

JJG/sef

4

#### **ABSTRACT**

The present invention provides a system of elements floating in a liquid, which can bind together by temperature dependent ferromagnetic forces, wherein the elements are physically designed to provide certain characteristics to the inter-elemental bindings, and that the magnetic forces are controlled by temperature. The magnetic interactions involve materials with temperature dependent magnetic properties corresponding to temperature changes in the environment of the elements, such that specific inter-elemental attractions cease when the temperature is elevated to specific levels. The invention further comprises use of the system to simulate chemical interactions, and catalysis, wherein the bindings are manipulated by varying temperature and turbulence, and use of the system as an education tool, an interactive game, a decoration and a tool for scientific purposes.

#### Marked-up Copy

- 3. System according to claim 1[-2], characterized in that specific inter-elemental bindings involve magnetic materials with different Curie points such that specific bindings are receptive to specific changes in temperature.
- 4. System according to claim 1 [-3], c haracterized in that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes new bindings which never or rarely occurs spontaneously.
- 5. System according to claim 1 [-3], characterized in that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes breaking of bindings which never or rarely breaks spontaneously.
- 6. System according to claim 1 [-5], characterized in that the elements are floating in a liquid with a density close to the density of the elements.
- 7. System according to claim 1 [-7], characterized in that the system include devices for controlling the temperature and the turbulence surrounding the elements.
- 8. System according to claim 1 [-8] characterized in that the elements are floating in a transparent container.
- 9. System according to claim 8 [-9], characterized in that the controlling device involves a programmable unit, e.g. a computer, which may be connected to an electronic communication network, e.g. the Internet.
- 10. Use of the system according to claims 1 [- 9] as a device for demonstrating/simulating chemical interactions, catalytic functions, molecular evolution, and the behavior of complex systems, for education, entertainment, decoration, computational, and scientific purposes.

WO 00/28506

5

15

20

25

30

comprises ten nucleotides.

11/PRTS

PCT/N099/00335
JC08 Rec'd PST/PTO

1 0 MAY 2001

#### SIMULATION OF CHEMICAL INTERACTIONS

The present invention relates to a system of elements floating in a liquid, with structural and magnetic characteristics making them bind to each other according to certain rules in response to changes in temperature and use of the system to simulate chemical interactions and catalysis.

Chemical reactions may be viewed as the creation and breaking of bindings between individual elements. Accordingly, catalytic function may by regarded as an element's ability to promote the creation and breaking of bindings between elements.

Biological systems represent complex networks of biochemical elements with interrelated catalytic functions. These elements and their catalytic functions may be directly traced to the DNA molecule and its unique ability to store and replicate molecular information.

DNA is a linear polymer of deoxyribonucleotides. Each deoxyribonucleotide consists of three main groups, 1) a deoxyribose-a pentose sugar, 2) a phosphate group and 3) one of the heterocyclic nitrogenous bases, adenine (A), thymine (T), guanine (G) or cytosine (C)

A double helical DNA molecule consists of two complimentary, antiparallel strands of DNA. The phosphodiester bonds linking the 5' and 3' carbons of the adjacent sugar residues results in directionality of the polynucleotide chain. In the double stranded DNA molecule, the phosphodiester bonds of each polynucleotide chain run in opposite directions (i.e., 5'-3' and 3'-5') and are thus said to be antiparallel. Base pairing between strands is the result of hydrogen bonding between adjacent base pairs. Normally, A residues form 2 hydrogen bonds with T, and G residues form 3 hydrogen bonds with C resulting in complementary base pairing between the DNA strands. Therefore the sequence of bases in one strand determines the sequence of the complementary strand and is the basis of DNA replication. The two strands of DNA coil around a central axis in a right handed manner with the sugar-phosphate backbone on the exterior and the bases on the interior. The aromatic rings of the bases are stacked in the middle, perpendicular to the

axis of the DNA double helix. A full rotation in the helical structure

PCT/NO99/00335

WO 00/28506

5

10

15

20

35

2

The nucleotides in a DNA strand are held together by strong covalent bonds between the phosphate and the sugar residues. The creation and breaking of these bonds requires supply of energy and in present organisms these reactions are catalyzed by energy consuming enzymatic reactions. The bonds between the complementary bases are weak hydrogen bonds and the attractive forces between to single nucleotides are weak. When the nucleotides are organized in DNA strands, large numbers of hydrogen bonds are coordinated, so that the attractive forces between two complementary strands become relatively strong. They are however responsive to heat (below 100°C) and alkali, and are considerably weaker than the covalent bonds composing the individual DNA strands.

All biological systems are based on the ability of the DNA molecule to store and reproduce information. The genetic information is stored in the structure of the DNA molecule as different sequences of nucleotides. Reproducing this information is achieved in that an existing nucleotide chain, via an intricate network of biochemical reactions, catalyzes the creation of a complementary chain.

It is today widely accepted that life on earth evolved from simple molecular structures by means of natural selection. This evolution process, which was first recognized by Charles R. Darwin, explains biological evolution in terms of a simple mechanism directly related to self-replication of biological information.

Human civilization is at present experiencing the early signs of a fast approaching revolution driven by incredible advances in biotechnology.

Cloning of mammals is today a reality and genetic manipulation is performed as routine assays in laboratories all over the world. These advances constitute complex challenges to different parts of society, including political as well as private decision making. Consequently, there is a growing need for easily accessible information related to the fundamental aspects of biology. This need can be meet by a system, which in simple manner simulates the fundamental chemical mechanisms underlying all biological systems.

Different systems have been proposed to simulate chemical interactions. In American Scientist, Vol. 47; 261-263, 1959 (H.J. Morowitz) it is suggested a system for simulating replication based on two types of element A and B.

10

15

20

25

30

f

WO 00/28506 PCT/NO99/00335

floating in water. A and B can bind to each other, but only if the binding is initiated by an existing complex of A and B. Thus an AB unit can catalyze creation of a new AB unit. Each element carries a battery and an electromagnet. The bindings between A and B elements are, however, not reversible, and the system does not involve the use of natural magnets and ferromagnetism, nor are the inter-elemental bindings controlled or responsive to changes in temperature.

There are a number of known systems for demonstrating molecule structures such as proteins, DNA, or RNA wherein the elements are held together by magnetic forces, glue etc. (DE 23 41 320 A1, SE 15 58 07, US 3,594,924). These systems are, however, all static models, which in no way simulate reversible chemical interactions or catalysis.

In SU 89 66 75 B it is described magnetic elements simulating items «for demonstration in investigating physico-mechanical properties of solids». The magnetic elements are enclosed in an elastic shell and floating in a tank filled with a liquid. The repulsion forces between items can be simulated in addition to elastic properties of solids. This system does not involve reversible chemical interactions simulating catalytic functions, nor the use of temperature as a means for regulating the magnetic forces and the interelemental bindings.

Thus there is an object to provide a system for demonstration/simulation of reversible chemical reactions and catalytic function based on temperature dependent ferromagnetic interactions.

These objects are obtained by the present invention characterized by the enclosed claims.

The present invention provides a system of elements floating in a liquid, which can bind together by temperature dependent ferromagnetic binding forces, wherein the elements are physically designed to provide certain characteristics to the inter-elemental bindings, and that the magnetic forces are controlled by temperature. The invention further comprises use of the system to simulate chemical interactions, and catalysis, wherein the bindings are manipulated by varying temperature and turbulence, and by introducing modifying elements, and use of the system as an educational tool, an interactive game, a decoration and a tool for scientific purposes.

10

15

20

25

30

WO 00/28506

PCT/NO99/00335

4

In the following the invention will be described in greater detail by referring to the figures, wherein;

Fig. I illustrates the architecture of the DNA molecule. Panel 1, describes the four nitrogenous bases, adenine (A), thymine (T), guanine (G) and cytosine (C), and their respective paring A-T and G-C; panel 2, describes a nucleotide comprising a base (a), a phosphate group (c) and a ribose (b); while panel 3 demonstrates how the DNA helix is composed of complementary and antiparallel chains of nucleotides, and also illustrates how the two strands split apart and give rise to two new copies of the double-stranded DNA molecule.

Fig. 2 illustrates schematically how a combination of two inter-elemental bindings (Binding I and II) constitutes the basis of self-replication and an evolutionary process. The two elements A and B bind each other through forces receptive to cyclic temperature changes, so that the binding is created at low and broken at high temperatures (Binding I). The elements connect to form chains when oriented in a favorable geometrical position, by a binding mechanism less influenced by temperature (Binding II). A random chain of elements is created spontaneously (1), at lower temperatures the free floating elements arrange themselves along the existing chain (2), the units are bound together to form a complementary chain and a double chain is created (3), the temperature is increased and the chains depart (4), the temperature drops again and free floating elements arrange themselves along the two chains (5), two double chains are created (6), leading to that the number of chains will increase exponentially (7). New sequences occurs due to miss-incorporations (point-mutation) (7), or as a consequence of rearrangements due to double hybridizing (8) thus resulting in longer chains (9). Chains which in a given environment are more often reproduced will increase in number at the expense of other chains, and thus be selected by means of natural selection (10). This will drive the process towards chains with increasing complexity and better ability to self-replicate.

Fig. 3 illustrates the single element in the system seen from all angels, describes the design of the element.

10

20

WO 00/28506 PCT/NO99/00335

5

- Fig. 4 illustrates one of the possible bindings, Binding I. This binding is specific for the hydrogen bindings between complementary units (G-C, A-T) representing the respective nucleotides.
- Fig. 5 illustrates the second of the possible bindings, Binding II. This binding represents the ribose-phosphate binding in the DNA molecule, which produce the nucleotide chains.
- Fig. 6 illustrates that Binding I and II may be connected so that, the magnetic force in Binding I is enhanced for elements already connected by Binding II, causing that chains of the elements have greater attractive forces than free-floating elements. This will discourage mutual blocking between individual complementary elements.
- Fig. 7 illustrates the facilitation of the creation of a chain when the temperature in the liquid medium is reduced and a chain is already existing.
- Fig. 8 illustrates the creation of a double chained helix, due to the angle 9 (Fig. 1) on the element.
  - Fig. 9 illustrates separation of the two chains when the temperature of the liquid medium is increased above the T<sub>c</sub> for Binding I.
  - Fig. 10 illustrates the system used to simulate a mutation wherein a different element M is designed, which is able to bind both C and T elements.
  - Fig. 11 illustrates a total assembly comprising a transparent water tank with a base containing electronically operated thermostats and turbulence generator, connected to a computer for operating and monitoring the temperature and turbulence in the liquid medium.
- The most intriguing of all catalytic processes is the self-replicating and adapting process generally recognized as «life». Life on earth has evolved by means of natural selection and it is this fundamental mechanism which underlies the adaptability of biological systems. This adaptability as well as the process of self-replication can be directly traced to the structure and function of the DNA molecule. In present organisms an intricate network of interrelated biochemical reactions orchestrates self-replication of the DNA molecule. In fact one of the most powerful scientific models of biology is to view the complete organism as a vehicle set up by DNA to transfer the

10

15

20

25

30

WO 00/28506

PCT/NO99/00335

6

molecular information to the next generation of organisms. It is also widely accepted that life on earth has evolved though an early stage where simple molecular structures, probably related to the RNA molecule, replicated without the complex biochemistry of present organisms. This hypothesis is based on the fact that the RNA molecule combines the ability of replication with powerful catalytic functions. However, although the principle of self-replication and adaptability may be deduced from the structure of the DNA molecule, it has proven extremely difficult to construct artificial molecular systems which combines these two hallmarks of life, thus facilitating evolution by means of natural selection. It was thus a great surprise to the inventor when he after considerable trial and error, realized that such a system could be constructed, not from chemistry, but from carefully designed solid-phase elements, floating freely in a liquid.

The following criteria must be met for a system to simulate an evolutionary process.

- 1. Reproduction: The element carrying the information must increase the probability for its own reproduction in its own environment.
- 2. Mutagenesis: The reproduction process must include a certain error tendency to create a repertoire of variants, which can be selected by the environment, a process referred to as natural selection.
- 3. Death: The system must involve recycling of the information carrying elements, such that the process is open-ended.

In order to provide such characteristics to a system based on free-floating physical elements, each element must comprise the ability to reversibly bind to each other, according to a set of roles, and in response to specific changes in the environment.

The inventor tried different alternatives for constructing such binding mechanisms, and came up with a number of possible solutions, including a combination of different systems comprising mechanical locking and mucous glues with temperature dependent adherence. Solutions comprising magnetic bindings provided however a unique way of binding since magnetic forces work across distances and involve specificity related to the positive and negative poles. In fact the previously described system by Morowitz describes how a system of elements with an intrinsic power supply and

10

15

20

25

WO 00/28506 PCT/NO99/00335

7

electromagnetic switches can simulate self-replication. However, this solution related to power-supplies and electromagnetism comprises costly arrangements in a system intended to involve several thousand elements. The inventor therefore continued to search for a less costly solution to the problem and contemplated the use of hard (permanent) magnetic materials. There is no obvious way by which binding between such materials are reversible, besides the fact that hard magnets become permanently inactivated when heated to extreme temperatures. The inventor found, however, that a combination of a hard and a soft (temporary) magnets constitutes a persisting reversible magnetic binding receptive to temperature changes in a range comprising the Curie point (T<sub>c</sub>) of the soft magnet. This construction offers a surprisingly simple solution to the above-described problems involving materials that are commercially available and inexpensive. Furthermore, in contrast to the system by Morowitz, the bindings in the present invention are responding to changes in the environmental temperature, which in a unique manner simulates the breaking of chemical bindings in response to heat or other sources of energy. There are several soft magnets with T<sub>c</sub> ranging from 10°C to 40°C, such as Fe-Ni alloys, amorphous alloys and soft ferrites, making it possible to select materials for breaking and reestablishing magnetic bindings by temperature fluctuations around room temperature.

Inexpensive, elements that demonstrate chemical interactions and catalytic functions constitutes a new and surprising invention, which can be designed to address a number of different questions related chemistry and the behavior of complex systems. However, based on the forthcoming biological revolution it seems rational to design a model of elements behaving as «ideal nucleotides», i.e. elements which interacts according to the roles of nucleotides, but without the need for a complex biochemical machinery to catalyze these interactions.

To simulate the characteristics of nucleotides and DNA/RNA molecules, a simulation of the chemical interactions between these molecules must be included. Simulation of such chemical interactions should; 1) be reversible; 2) be specific; 3) also allow some degree of unspecific binding, and; 4) the bindings must be receptive to controllable changes in the environment of the element.

10

15 .

20

25

30

35

WO 00/28506

PCT/NO99/00335

8

According to the present invention this can be accomplished by the use of magnetic materials with different  $T_c$ , combined such that it is possible to create a system wherein specific bindings are broken at specific temperatures. By regulating the temperature it is possible to control the forces acting between the elements in the system. Thus this system is analogous to a chemical system wherein the weak hydrogen bindings are broken at low temperatures, while to break the covalent bindings increased energy supply is necessary.

The present invention thus relates to a system of elements floating in a liquid designed to interact due to their magnetic and mechanical characteristics to simulate reversible chemical interactions, which can be designed in a wide range of shapes and sizes.

The following example relates to an application of the invention that simulates the structure, function, and molecular evolution of nucleic acids. The elements of the system are shown in Fig. 3. In one embodiment they are approximately 10 mm x 10 mm x 3 mm, made of suitable materials, such as for example plastic and with a density similar to the density of water in the temperature range from 10°C to 40°C. Each element comprises imbedded hard magnets and soft magnets in a pattern making possible bindings between only specific elements of choice.

The edge 1 of the element provides the contact surface between two elements bound by Binding I, due to imbedded magnets below the surface. The semisylindrical surface of the edge 1 makes possible hinge like movement of the two elements, relative to each other. In one end of the edge 1 there is a cut-out 3, in the other end a tip 2 which fits into the cut-out 3 on the complementary element, causing Binding I to be directional, i.e. the elements bound points in opposite directions (Fig. 4). In one lateral edge, oriented in relation to the edge 1, there is a recess 5 with a peg 4 housing a soft magnet with T<sub>c</sub> higher (for example 30°C) than the T<sub>c</sub> of the soft magnets in the edge 1. The magnet imbedded in the peg 4 is protected by the recess 5 to assure that Binding II never/seldom shall occur spontaneously and to prevent that a binding shall result between the magnet in the peg 4 and the magnets imbedded in the edge 1. Contralaterally to the recess 5 is a projection 6 with a spherical head 7 containing a hard magnet to attract the magnet imbedded in the peg 4. The head 7 has a slit 8 in the extension of the projection 6 to shield the magnet to prevent Binding II occurring

10

15

20

25

30

35

WO 00/28506

PCT/NO99/00335

9

spontaneously and prevent binding between the magnet in the head 7 and the magnets in edge 1. The projection 6 fits into the recess 5 and when Binding II is activated the elements may rotate about an axis through projection 6. Binding II has to a certain degree a hinge function since the projection 6 may slightly top over in the recess without breaking the binding. Diagonally from the tip 2 to the projection 6 runs an axis 9 around which the element is angled. The two parts of the element thus describe the legs of an angle of 36°. The recess 5 and the projection 6 are thus oriented in different planes and a double chain of elements will create a helix comprising 2 x 10 units in each rotation. This angled surface of the element facilitates further that the extension of a chain preferably occurs in the end of the chain carrying a recess 5, which simulates that the DNA synthesis occurs from the 3' end.

Fig. 4 illustrates Binding I and the pattern of hard and soft magnets to make possible that only element G links to element C and element A to T. This binding simulates H-bonds in the DNA molecules, and the G-C binding comprises 3 sets of magnets while the A-T binding comprises 2 sets of magnets, corresponding to 3 H-bonds and 2 H-bonds respectively between the bases. Accordingly the G-C binding is stronger than the A-T binding which promote the different characteristics of the different sequences of elements.

The imbedded magnets (10, 11, 12) have the following characteristics:

The magnet 10 is a permanent hard magnet, made of for example neodymium, oriented with the positive pole towards the contact surface. Since all hard magnets are such oriented they are not attracted to each other and Binding I is specific for G-C and A-T elements respectively. Covering the positive pole of the magnet 10 is a hood 11 enveloping the outer end of the magnet and consisting of a soft magnetic material, made of for example a amorphous alloy, with  $T_c$  in the temperature range, for example approximately 25°C, in which Binding I is broken. This hood 11 mediates the magnetic forces from the hard magnet 10 to the contact surface 1 of the element (Fig. 3) only when the temperature is below  $T_c$ . When the temperature is above  $T_c$  the contact surface 1 is demagnetized. The soft magnet 12 is made of the same material as the hood 11 and has a  $T_c = 25$ °C. The localization is designed to interact with the magnetic forces of the hard magnet located in the opposite position in the complementary element. The

10

15

20

30

WO 00/28506

PCT/NO99/00335

10

demagnetization of the soft magnet 12 at temperatures above approximately 25°C promotes breaking of Binding I.

Fig. 5 illustrates Binding II, which simulates the ribose-phosphate binding in the DNA molecule producing the nucleotide chains. Binding II is maintained by the hard magnet 13, e.g. made of the same material as magnet 10, oriented with the positive pole towards the slit 8. This magnet is covered with the hood 14, made of a soft magnetic material with a  $T_c$  higher than for the soft magnets in Binding I, say 30°C, (Fig. 3). Magnet 13 is magnetizing the soft magnet 15 located in the peg 4 in the complementary element. The soft magnet 15 is made of similar material as the hood 14, with  $T_c = 30$ °C. Thus Binding II is maintained at temperatures below 30°C. The different demagnetizing temperatures for Binding I and II makes the last more resistant to higher temperatures. When the ambient temperature cycle around 25°C only Binding I will be affected. Binding II breaks only when the ambient temperature is increased above 30°C.

Binding II allows the elements to rotate around the projection 6 (Fig. 3). Furthermore the direction of the slit 8 makes possible movement of the bound elements in a plane through the projection 6 (Fig. 1), vertically on the figure plane (Fig. 3). The described mobility of Binding II may lead to several secondary structures which will produce different characteristics, since structure and function are interrelated.

Since Binding II is made by magnets protected by the slit 8 and the recess 5, this binding will never/seldom come into being spontaneously between free-floating elements.

Fig. 6 describes an embodiment of the invention wherein the elements are modified such that the magnetic forces in Binding I are enhanced when Binding II is activated.

The elements of this embodiment comprise the magnets 10, 11, 12, 13 and 14 described above. In addition each element contains a bridge comprising a soft magnet 16, with  $T_c = 30$ °C, located inside the peg 4 and in contact with another soft magnet 17, with  $T_c = 25$ °C, which ends at the contact surface 1 for Binding I between the magnets 10 and 12, opposite to an additional soft magnet 18 in the complementary element.

10

20

25

WO 00/28506

PCT/NO99/00335

11

This arrangement will make Binding I stronger when the temperature is below 25°C which is the temperature at which Binding I is broken. In this embodiment the elements already united in chains will exercise greater attractive forces than free-floating elements, and will thus reduce the trend that free-floating elements are blocking each other.

Figure 7 illustrates that an existing chain will spontaneously facilitate the creation of complementary chains when the ambient temperature cycles above and below the T<sub>c</sub> for Binding I. Thus when the temperature is lowered the elements already chained together will attract free floating complementary elements and bind them via Binding I. This binding will then function as a hinge in that the newly bound elements will move back and forth around an axis through the contact surfaces 1, and cause that elements in juxtaposition will be geometrically in good position for spontaneously creation of Binding II, thus producing a new chain.

Figure 8 illustrates the creation of the helix structure of the double chain, due to the angle 9 of the surface of the element, thus simulating the DNA helix structure.

Figure 9 illustrates use of the system according to the invention to simulate denaturation of the DNA molecule by increasing the temperature. In the system according to the invention increasing the ambient temperature above the T<sub>c</sub> for Binding I will break the binding, and the two chains will separate.

Figure 10 illustrates how the invention can simulate creation of a mutation. Mutagenes are agents inducing exchange of bases in the DNA molecule and can be for example chemicals changing the characteristics of the bases abolishing their ability to code specifically. In the system of the present invention an element M is constructed, which due to the pattern of magnets can bind (Binding I) to both the C element and T element.

Furthermore it is possible to construct mutagenic elements with a defect in the ability to create Binding II. This will result in shorter chains.

The system according to the invention can also be designed to simulate a primitive translation process wherein the genetic information in the DNA molecule is translated to chains of amino acids. In present organisms this process is performed by complex biochemical mechanisms involving cellular organelles called ribozomes. Resent findings suggest however that the

10

15

20

25

30

WO 00/28506

PCT/NO99/00335

12

evolutionary basis of this process be related to direct affinity between different amino acids and specific triplets or codons of nucleotides. The combination G-C-A in a chain of nucleic acids may e.g. attract the amino acid alanine. An exciting nucleotide chain may thus promot chains of amino acids in a similar manner as complementary strands are created.

In the present system an element Aa simulating an amino acid is designed to bind to the contact surface 1 of three specific elements of the simulated DNA chain, with which the following creating of a binding (corresponding to Binding II) for creating a chain of amino acids to simulate a peptide or protein. By varying the pattern of magnets imbedded in the contact surface 1 of the Aa elements, different amino acids, binding to different codons of elements are designed.

Still further embodiments of the invention may comprise elements simulating biological co-factors with the ability to interfere with or facilitate binding of specific elements.

In a further embodiment the magnetic forces in the elements can be produced by electromagnets powered by small photovoltaic units on each element. In this case the evolutionary process is powered by changes in the electromagnetic radiation instead of water temperature. These two mechanisms may also be combined.

Figure 11 illustrates a container for liquid, such as water, with transparent wall for example 150 cm tall and 65 cm in diameter, containing 500 l of liquid. The container has a base with an electronically operated thermostat and turbulence generator, connected to a programmable unit for regulation of liquid temperature and turbulence, for example a computer.

#### Simulation of self-replication and mutation

- 1. As a start situation a large number of different elements, such as 2500 of each of the four types, are floating freely in the liquid such as water of the container (Fig. 11), and the temperature of the liquid is between T<sub>c</sub> for Binding I and II, such as 28°C.
- 2. The first chain can be created
  - a) spontaneously via Binding II, which has been designed to be a slow process due to the location of the magnets 13, 14 and 15,

20

30

WO 00/28506

PCT/NO99/00335

13

or

- b) by constructing a chain of elements and add this chain to the container.
- 3. A new chain is then created by lowering the water temperature below the T<sub>c</sub> for Binding I, such as for example 20°C. Free elements will bind to complementary elements (G-C, A-T) in the template chain, and neighboring elements will be connected by Binding II as described above, simulating elongation of the chain. When the chain is elongated the total binding becomes stronger since an increasing member of magnetic bindings are holding the chains together.

The result is creation of a simulated DNA helix.

Chain reaction: To facilitate a chain reaction it will be necessary to let the water temperature cycle between for example 20°C and 28°C, i.e. below and above the T<sub>c</sub> for Binding I. New chains will then be created as described above and when Binding I is broken by increasing the temperature the number of template chains are doubled. This results in an exponential increase of the number of chains in the container.

Recirculation or death: A chain will dissolve if the water temperature is increased above the T<sub>c</sub> for Binding II. Balanced or specific death of certain chains can be obtained by regulating temperature and turbulence in such a way that short pulses of water with a specific temperature hit a group of chains.

Mutations: Point mutations will appear spontaneously by incorporation of different mutagenic elements in the chains. These mutagenes can be of the type suggested in Fig. 10, wherein Binding I is affected or a type wherein Binding II is affected (not shown).

Mechanical stress, deficient Binding II or high temperature will produce shorter chains, while longer chains can be produces when one chain binds two other chains (double hybridization) (Fig. 2) or because Binding II occurs spontaneously. A chain of 10 elements can be varied  $4^{10} = 10^6$  different ways while a length of 20 elements gives  $10^{12}$  possible combinations. If one new chain of 20 elements is produced every minute, testing of all combination will require 2 x  $10^6$  years.

15

WO 00/28506 PCT/NO99/00335

14

#### Natural selection

Mutants, which for any reason are more reproducible, will increase in number at the expense of others. Such advantageous characteristics can be;

- Secondary structures stabilizing the chain such that it is resistant to breaking when the temperature is increased,
- secondary structures inhibiting the replication of other chains (simulating natural ribozymes),
- secondary structures «taking advantage» of other elements in the solution,
- 10 sequences adapted to the distribution of elements, and
  - chains cooperating with other chains.

The direction of the evolutionary process will be modified by the environment in the container (temperature and turbulence profile, concentration of elements, presence of other chains and elements). The selection process will drive the system towards better replication rates and increasing complexity.

#### Applications

1

The system according to the present invention involves a general tool for demonstrating/simulating chemical interactions, catalytic functions and the behavior of complex systems. It can be particularly designed to demonstrate self-replication and evolution by means of natural selection and offers as such several areas of application.

Education: The system is, as demonstrated above, able to simulate the 25 fundamental characteristics of life in a manner that is easily understandable by children and adults. The system mediates biologically and evolutionary knowledge and can be used as educational tools for general and molecular biology. It can furthermore be combined with a computer based multimedia educational system, suitable for different age groups and competence levels. 30 The programmable unit according to the invention (Fig. 11) can be used with

suitable software and hardware to develop programmable temperature and

WO 00/28506

PCT/NO99/00335

15

turbulence profiles favoring different type of chains and thereby guide the evolutionary process in different directions, protocol the development of old and new chains and map the characteristics of different chains, for example possible secondary structures

- Games: An evolutionary system comprise a form of «life» and the challenge will be to «breed» new and steadily more robust and complex «species» of this form of life, by playing with the environment (temperature, turbulence, additional elements) to increase the probability for the creation and well being of certain chains. The challenge is then stepped up to a higher level by placing the above-created chain in a container with another sequence. The two sequences are then parts of each others environment, which may lead the evolutionary process in new directions. Some sequences may be destroyed in the competition while other may cooperate on the replication process.
  - By using electronic communication applications, e.g. the Internet, various sequences and their characteristics may be exchanged and the evolutionary process has expanded beyond its own container.
  - The challenge of this game will be to produce sequences, which compete with other under varying conditions. The sequences may be named and made known via Internet.
- Scientific tool: This invention represents an artificial replication system comprising the ability to evolution by means of natural selection, and will as such represent an independent scientific achievement. Furthermore, the invention constitute a new and unique tool for simulating and investigating the behavior of complex systems, particularly related to the characteristics of self-replication and natural selection. Additionally, the specific hybridization between polymers may be applied as means for calculation, an application that has been extensively demonstrated for nucleic acids (DNA computing).
- Sculpture, decoration and exhibitions: The system according to the present inventions has dynamic characteristics, which may be visually appealing.

  Thus it is possible to use the system to create new and visually appealing physical structures, not only in the form of helical structures resembling the DNA molecule. Furthermore a reproducible system for swimming pools, can be designed for decoration purposes and/or as toys.

15

20

30

WO 00/28506

PCT/NO99/00335

16

#### **CLAIMS**

- 1. System of elements floating in a liquid which can reversibly connect to each other by magnetic forces,
- characterized in that the inter-elemental bindings involve magnetic materials with Curie point within a temperature range corresponding to temperature changes in the environment of the elements.
- 2. System according to claim 1, c h a r a c t e r i z e d i n that the elements are physically designed to provide certain characteristics to the inter-elemental bindings.
- 3. System according to claim 1-2, characterized in that specific inter-elemental bindings involve magnetic materials with different Curie points such that specific bindings are receptive to specific changes in temperature.
  - 4. System according to claim 1 3, characterized in that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes new

bindings which never or rarely occurs spontaneously.

- 5. System according to claim 1-3, characterized in that single elements or complexes of elements bind to other elements in a manner which promotes or catalyzes breaking of bindings which never or rarely breaks spontaneously.
- 6. System according to claim 1 5, characterized in that the elements are floating in a liquid with a density close to the density of the elements.
- 7. System according to claim 1 7,c h a r a c t e r i z e d i n that the system include devices for controlling the temperature and the turbulence surrounding the elements.
  - 8. System according to claim 1 8
    characterized in that the elements are floating in a transparent container.

WO 00/28506

PCT/NO99/00335


17

- 9. System according to claim 8 9, characterized in that the controlling device involves a programmable unit, e.g. a computer, which may be connected to an electronic communication network, e.g. the Internet.
- 5 10. Use of the system according to claims 1 9 as a device for demonstrating/simulating chemical interactions, catalytic functions, molecular evolution, and the behavior of complex systems, for education, entertainment, decoration, computational, and scientific purposes.

WO OFF

- ~ 1/NO99/00335

1/11



- WO 00/28

1099/00335

2/11





FIG 2

----/00335

3/11




Inventor: BREIVIK
Docket No.: 7885.76USWO
Title: SIMULATION OF CHEMICAL INTERACTIONS
Attorney Name: John J. Gresens
Phone No.: 612-371-5265
Sheet 4 of 11

. WO 09/2850

J99/0033<del>`</del>S

09/831536

4/11




Inventor: BREIVIK
Docket No.: 7885.76USWO
Title SIMULATION OF CHEMICAL INTERACTIONS
Attorney Name John J Gresens
Phone No 612-371-5265
Sheet 5 of 11

WO 0072850

TCT/NO99/00335


5/11



~ WO 09/2850

)9/00335


6/11



Inventor: BREIVIK
Docket No.: 7885.76USWO
Title SIMULATION OF CHEMICAL INTERACTIONS
Attorney Name John J Gresens
Phone No 612-371-5265
Sheet 7 of 11

· · WO 09/2850

7/11



Inventor: BREIVIK
Docket No.: 7885.76USWO
Title: SIMULATION OF CHEMICAL INTERACTIONS
Attorney Name: John J. Gresens
Phone No.: 612-371-5265
Sheet 8 of 11

09/831536

→ WO 00/28506

00335

8/11




FIG 8

\* WO 00/28506

---/00335

9/11




Inventor: BREIVIK
Docket No.: 7885.76USWO
Title. SIMULATION OF CHEMICAL INTERACTIONS
Attorney Name. John J Gresens
Phone No: 612-371-5265
Sheet 10 of 11

" WO 00/28506

\_\_/00335

09/831536

10/11





The first time time are tone in the sour time time for the first f

WO 007285

J99/00335

11/11





The first street street

PCT, and Design Applications

→ INSTRUCTIONS

## MERCHANT & GOULD

# United States Patent Application COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that

	I verily believe I am inventors are named below	the original, fir.	st and so t matter v	ole inventor (i which is claim	f only one i led and for	name is listed below which a patent is sou	<ul> <li>or a joint inventor (if plural ight on the invention entitled:</li> </ul>
Insert TITLE of invention	SIMULATION C	OF CHEMI	CAL	INTERA	CTION	S	
			<del></del>		<del>, , , , , , , , , , , , , , , , , , , </del>	· · · · · · · · · · · · · · · · · · ·	
Check a or b	The specification of which	ι					
	a. □ is attached hereto						
	b. □ was filed on				·		
If "b" checked, complete	as application serial no				<u>.</u>		
	and was amended on				<del></del>		(if applicable)
If PCT Application	(in the case of PCT-filed a	• •					
Insert Int. application	described and claimed in it	nternational no.	·PCT	/NO99/0	0335	filed 5 No	ovember 1999
number & filing date	and as amended on $\frac{25}{}$	Jan. 200	01 (if a	ny), which I h	ave review	ed and for which I so	olicit a United States patent.
E PAGE	I hereby state that I have namended by any amendment	eviewed and ur ent referred to a	nderstand ibove.	d the contents	of the abov	ve identified specific	cation, including the claims, a
House traces	I acknowledge the duty to Title 37, Code of Federal I	disclose informations,§ 1	mation v 56(a). (	which is mater Reprinted on I	rial to the e back side).	examination of this a	pplication in accordance with
	I hereby claim foreign pric of inventor's certificate list having a filing date before	ted below and h	have also	o identified be	low any for	reign application for	eign application(s) for patent patent or inventor's certificate
Prior applications Check a or b	a. □ no such applications	havebeen filed	l.				
E E E E E E E E E E E E E E E E E E E	b. 街 such applications hav	ve been filed as	follows	:			
5 - 15 - 15 - 15 - 15 - 15 - 15 - 15 -	FOREIC	IN APPLICATI	ION(S), I	IF ANY, CLA	IMING PRI	ORITY UNDER 35 I	
	COUNTRY			NUMBER	DAT	TE OF FILING	DATE OF ISSUE (day, month, year)
	Norway	19985	5267		11 No	v. 1998	
If "b" checked, complete							
	ALL FOREIG					THE PRIORITY AP	
	COUNTRY	APPLIC	CATION	NUMBER		TE OF FILING v, month, year)	DATE OF ISSUE (day, month, year)
			<del></del>				
	application(s) listed below prior United States applications	v and, insofar a cation in the n	as the sul nanner p	bject matter o provided by the mation as defin	of each of the he first par med in Title	ne claims of this app agraph of Title 35, 37. Code of Federa	States and PCT international dication is not disclosed in the United States Code§ 112, I Regulations§ 1.56(a) which filing date of this application.
For Continuation-in-Part (CIP) Applications, complete	U.S. APPLICATION	NUMBER	1	DATE OF FILI (day, month, y		STATUS (paten	ted, pending, abandoned)
Revised 1/8/99				·			



I hereby appoint the following attorney(s) and/or patent agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith:

Albrecht, John W.	Reg. No. 40,481	Gorman, Alan G.	Reg. No. 38,472	Pauly, Daniel M.	Reg. No. 40,123
Anderson, Gregg I.	Reg. No. 28,828	Gould, John D.	Reg. No. 18,223	Plunkett, Theodore	Reg. No. 37,209
Ansems, Gregory M.	Reg. No. 42,264	Gregson, Richard	Reg. No. 41,804	Pytel, Melissa J.	Reg. No. 37,209
Batzli, Brian H.	Reg. No. 32 960	Gresens, John J.	Reg. No. 33,112	Reich, John C.	Reg. No. 37,703-
Beard, John L.	Reg. No. 27,612	Hamre, Curtis B.	Reg. No. 29,165	Reiland, Earl D.	Reg. No. 25,767.
Berman, Charles	Reg. No. 29,249	Hillson, Randall A.	Reg. No. 31,838	Rittmaster, Ted R.	Reg. No. 32,933
Black, Bruce	Reg. No. 41,622	Johnston, Scott W.	Reg. No. 39,721	Schmaltz, David G.	Reg. No. 39,828
Blasdell, Thomas L.	Reg. No. 31,329	Kastelic, Joseph M.	Reg. No. 37,160	Schuman, Mark D.	Reg. No. 31,197
Bogucki, Raymond A.	Reg. No. 17,426	Kettelberger, Denise	Reg. No. 33,924	Schumann, Michael D.	Reg. No. 30,422
Bruess, Steven C.	Reg. No. 34,130	Knearl, Homer L.	Reg. No. 21,197	Sebald, Gregory A.	Reg. No. 33,280
Byrne, Linda M.	Reg. No. 32,404	Komanduri, Janaki	Reg. No. 40,684	Skoog, Mark T.	Reg. No. 40,178
Carlson, Alan G.	Reg. No. 25,959	Kowalchyk, Alan W.	Reg. No. 31,535	Soderberg, Richard	Reg. No. P-43,352
Carter, Charles G.	Reg. No. 35,093	Kowalchyk, Katherine M.		Sumner, John P.	Reg. No. 29,114.
Caspers, Philip P.	Reg. No. 33,227	Kubota, Glenn M.	Reg. No. P-44,197	Sumners, John S.	Reg. No. 24,216
Chiapetta, James R.	Reg. No. 39,634	Lacy, Paul A.	Reg. No. 38,946	Tellekson, David K.	Reg. No. 32,314
Clifford, John A.	Reg. No. 30,247	Larson, James A.	Reg. No. 40,443	Trembath, Jon R.	Reg. No. 38,344
Cochran, William W.	Reg. No. 26,652	Lasky, Michael B.	Reg. No. 29,555	Underhill, Albert L.	Reg. No. 27,403
Daignault, Ronald A.	Reg. No. 25,968	Liepa, Mara E.	Reg. No. 40,066	Vandenburgh, J. Derek	Reg. No. 32,179
Daley, Dennis R.	Reg. No. 34,994	Lindquist, Timothy A.	Reg. No. 40,701	Vrandenburgh, Anna M.	Reg. No. 39,868
Dalglish, Leslie E.	Reg. No. 40,579	Lynch, David W.	Reg. No. 36,204	Welter, Paul A.	Reg. No. 20,890
Daulton, Julie R.	Reg. No. 36,414	Marschang, Diane L.	Reg. No. 35,600	Whipps, Brian	Reg. No. P-43,261
DeVries Smith, Kate	Reg. No. 42,157	McDaniel, Karen D.	Reg. No. 37,674	Wickhem, J. Scot	Reg. No. 41,376
DiPietro, Mark J.	Reg. No. 28,707	McDonald, Daniel W.	Reg. No. 32,044	Williams, Douglas J.	Reg. No. 27,054
Edell, Robert T.	Reg. No. 20,187	McIntyre, Iain A.	Reg. No. 40,377	Witt, Jonelle	Reg. No. 41,980
Epp Ryan, Sandra	Reg. No. 39,667	McKenzie, Denise L.	Reg. No. P-43,790	Wood, Gregory B.	Reg. No. 28,133
Farber, Michael B.	Reg. No. 32,612	Mueller, Douglas P.	Reg. No. 30,300	Wood, William	Reg. P-42,236
Funk, Steven R.	Reg. No. 37,830	Nasiedlak, Tyler L.	Reg. No. 40,099	Xu, Min S.	Reg. No. 39,536
Glance, Robert J.	Reg. No. 40,620	Nelson, Albin J.	Reg. No. 28,650		•
Golla, Charles E.	Reg. No. 26,896	Parker, Sandra M.	Reg. No. 36,233		

I hereby authorize them to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/organization/who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct Merchant & Gould to the contrary.

Please direct all correspondence in this case to Merchant, Gould, Smith, Edell, Welter & Schmidt at the address indicated below (or if no address is specified, the first address):

- □ 3100 Norwest Center, 90 SouthSeventh Street; Minneapolis, MN 55402-4131 (Telephone No. (612) 332-5300)
- ☐ Independence Plaza, Suite 1400; 1050 17th St.; Denver, CO 80265-0100 (Telepnone No. (303) 357-1670)
- Westwood Gateway II, Suite 400; 11150 Santa Monica Boulevard; Los Angeles, CA 90025-3395 (Telephone No. (310) 445-1140)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon

Insert FULL name(s) AND address(es) of actual inventor(s)



2	FULL NAME OF INVENTOR	FAMILY NAME Breivik		FIRST GIVEN NAME  Jarle	***	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY Oslo		STATE OR FOREIGN COUNTRY Norway		Norway
1	POST OFFICE ADDRESS	POST OFFICE ADDRESS Asensvingen 5C		N-0488 Oslo		STATE & ZIP CODE/COUNTRY Norway
2	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY		STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP
2	POST OFFICE ADDRESS	POST OFFICE ADDRESS		CITY		STATE & ZIP CODE/COUNTRY
2	FULL NAME OF INVENTOR	FAMILY NAME		FIRST GIVEN NAME		SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY		STATE OR FOREIGN COUNTRY		COUNTRY OF CITIZENSHIP
3	POST OFFICE ADDRESS	POST OFFICE ADDRESS		CITY		STATE & ZIP CODE/COUNTRY
SIG	SIGNATURE OF MITTERS		SIGNATURE O	OF INVENTOR 202 SIGN		ATURE OF INVENTOR 203
DATE DATE DATE		DATE	DATI		Ē	

Each inventor must sign & date

Note: No legalization or other witness required

Revised 1/8/99

☐ Check box and attach sheet with same information, including date and signature.